



DIN VALVES

TYPE :

GATE

GLOBE

CHECK

STRAINER

BELLOW SEALS GATE & GLOBE

PRESSURE SEAL

THROUGH CONDUIT

SIZES :






from DN 15 to DN 1200

PRESSURE CLASS :

PN 10 - 16 - 25 - 40 - 63 - 100 - 160

STOCK MATERIALS :

According to DIN Standard



comercial@ingsalpe.com



93. 390.51.22



669.36.22.78

www.ingsalpe.com



ASME VALVES

TYPE :

GATE

GLOBE

CHECK

STRAINER

BELLOW SEALS GATE & GLOBE

PRESSURE SEAL

THROUGH CONDUIT

SIZES :

from 2" to 48"

PRESSURE CLASS :






PN 10 - 16 - 25 - 40 - 63 - 100 - 160

STOCK MATERIALS :

WCB - LCB - C5 - C12 - WC6

CF8 - CF8C - CF8M - CF3M

Others according to ASTM Standard



comercial@insgalpe.com



93. 390.51.22




669.36.22.78

www.insgalpe.com




GATE VALVES BOLTED BONNET OVAL TYPE



CLASE	TAMAÑO	FIGURA
PN16 F4	50 - 900"	1180
PN16 F5	50 - 1400"	1181


DIN GATES VALVES

GATE VALVES BOLTED BONNET ROUND TYPE



CLASE	TAMAÑO	FIGURA
PN16	50 - 1400	1200
PN25	50 - 1400	1210
PN40	50 - 1000	1220
PN63	50 - 600	1230
PN100	50 - 600	1240
PN160	50 - 400	1250

GATE VALVES PRESSURE SEAL




CLASE	TAMAÑO	FIGURA
PN100	50 - 600	P24
PN160	50 - 1600	P25
PN250	50 - 600	P26
PN320	50 - 600	P27
PN420	50 - 600	P28

GATE VALVES CRYOGENIC EXTENDED BONNET



CLASE	TAMAÑO	FIGURA
PN16	50 - 600	1200B
PN25	50 - 1600	1210B
PN40	50 - 600	1220B
PN63	50 - 600	1230B
PN100	50 - 600	1240B

SWING CHECK VALVES




CLASE	TAMAÑO	FIGURA
PN16	50 - 1000	1311
PN16	50 - 1000	1312
PN25	50 - 1000	1313
PN40	50 - 1000	1314
PN63	50 - 600	1315
PN100	50 - 600	1316
PN160	50 - 600	1317





DIN GLOBE VALVES

GLOBE VALVES BELLOW SEAL




CLASE	TAMAÑO	FIGURA
PN25-16	15 – 600	1800
PN25/40	15 – 600	1670
PN63	15 – 600	1560SO
PN100	15 – 300	1560SO



GLOBE VALVES 90° ANGLE BELLOW SEAT

CLASE	TAMAÑO	FIGURA
PN16	15 – 600	1810
PN25/40	15 – 600	1680
PN63	15 – 600	1560SO
PN100	15 – 300	1570SO


GLOBE VALVES BOLTED BONNET



CLASE	TAMAÑO	FIGURA
PN25-16	15 – 600	1401
PN25/40	15 – 600	1430
PN63	15 – 600	1560
PN100	15 – 300	1570
PN160	15 – 300	1580

SWING CHECK VALVES

CLASE	TAMAÑO	FIGURA
PN16	50 – 1000	1311
PN16	50 – 1000	1312
PN25	50 – 1000	1313
PN40	50 – 1000	1314
PN63	50 – 600	1315
PN100	50 – 600	1316
PN160	50 – 600	1317




GLOBE VALVES PRESSURE SEAL

CLASE	TAMAÑO	FIGURA
PN100	50 – 600	P162
PN160	50 – 600	P163
PN250	50 – 600	P164
PN320	50 – 600	P165
PN420	50 – 600	P166




ASME GATE VALVES

GATE VALVES BOLTED BONNET ASME




CLASE	TAMAÑO	FIGURA
150	2" – 48"	450
300	2" – 48"	451
600	2" – 40"	452
900	2" – 24"	453
1500	2" – 24"	454
2500	2" – 12"	455



GATE VALVES BELLOW SEAL ASME


CLASE	TAMAÑO	FIGURA
150	2" – 40"	450SO
300	2" – 40"	451SO
600	2" – 24"	452SO
900	2" – 24"	453SO
1500	2" – 24"	454SO




SWING CHECK VALVES

CLASE	TAMAÑO	FIGURA
150	2" – 48"	470
300	2" – 48"	471
600	2" – 40"	472
900	2" – 24"	473
1500	2" – 24"	474
2500	2" – 12"	475

GATE VALVES CRYOGENIC EXTENDED BONNET ASME



CLASE	TAMAÑO	FIGURA
150	2" – 40"	450EB
300	2" – 40"	451EB
600	2" – 24"	452EB
900	2" – 24"	453EB
1500	2" – 24"	454EB




GATE VALVE THROUGH CONDUIT

CLASE	TAMAÑO	FIGURA
150	3" – 40"	T50
300	3" – 40"	T51
600	3" – 40"	T52
900	3" – 24"	T53
1500	3" – 24"	T54




ASME GLOBE VALVES

GLOBE VALVES BOLTED BONNET




CLASE	TAMAÑO	FIGURA
150	2" – 16"	460
300	2" – 16"	461
600	2" – 16"	462
900	2" – 12"	463
1500	2" – 12"	464

GLOBE VALVES 90° ANGLE BELLOW SEAT




CLASE	TAMAÑO	FIGURA
150	2" – 16"	460
300	2" – 16"	461
600	2" – 16"	462
900	2" – 12"	463
1500	2" – 12"	464




SWING CHECK VALVES

CLASE	TAMAÑO	FIGURA
150	2" – 48"	470
300	2" – 48"	471
600	2" – 40"	472
900	2" – 24"	473
1500	2" – 24"	474
2500	2" – 12"	475

GLOBE VALVES PRESSURE SEAL



CLASE	TAMAÑO	FIGURA
600	2" – 24"	P52
900	2" – 24"	P53
1500	2" – 24"	P54
2500	2" – 24"	P55



GLOBE VALVES Y TYPE

CLASE	TAMAÑO	FIGURA
150	2" – 16"	460Y
300	2" – 16"	461Y
600	2" – 16"	462Y
900	2" – 12"	463Y
1500	2" – 12"	464Y



CERTIFICATIONS

- ISO 9001 2008 IQNET® - ISO 9001 2008 CISQ / RINA
- API 600-0020 AMERICAN PETROLEUM INSTITUTE
- API 6D-0166 AMERICAN PETROLEUM INSTITUTE
- API 6A-0992 AMERICAN PETROLEUM INSTITUTE
- CE PED
- AD 2000-Merkblatt HP 0 / AD 2000-Merkblatt A4 and EN ISO 3834-2
- TR CU 010/2011
- TR CU 032/2013
- TA-LUFT FUGITIVE EMISSION
- M0809V STOOMWEZEN
- SIL FOR ACTUATED GATE VALVES IEC 61508

